

pH	Free S O ₂ needed for 0.5 ppm molecular S O ₂	Free S O ₂ needed for 0.8 ppm molecular S O ₂	Free S O ₂ needed for 1.5 ppm molecular S O ₂
2.9	7	11	20
3.0	9	14	25
3.1	11	17	31
3.2	13	21	38
3.3	16	26	48
3.4	21	33	60
3.5	26	41	75
3.6	32	51	90
3.7	40	64	118
3.8	49	81	148
3.9	63	101	186
4.0	79	128	234